

Instruction Manual

LFA-Series

Cosel

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, Great Britain and the USA. For more information please contact:

FORTEC Elektronik AG

Hauptniederlassung
Lechwiesenstr. 9
86899 Landsberg am Lech

Telefon: +49 (0) 8191 91172-0

Telefax: +49 (0) 8191 21770

E-Mail: sales@fortecag.de

Internet: www.fortecag.de

FORTEC Elektronik AG

Büro Nord
Am Hasenkamp 36
22457 Hamburg

Telefon: +49 (0) 40 54 80 56 11

Telefax: +49 (0) 40 54 80 56 13

E-Mail: nord@fortecag.de

Internet: www.fortecag.de

FORTEC Elektronik AG

Büro West
Hohenstaufenring 55
50674 Köln

Telefon: +49 (0) 221 272 273-0

Telefax: +49 (0) 221 272 273-10

E-Mail: west@fortecag.de

Internet: www.fortecag.de

FORTEC Elektronik AG

Büro Wien
Nuschinggasse 12
A-1230 Wien

Telefon: +43 1 8673492-0

Telefax: +43 1 8673492-26

E-Mail: office@fortec.at

Internet: www.fortec.at

ALTRAC AG

(Tochter der FORTEC):
Bahnhofstraße 3
CH-5436 Würenlos

Telefon: +41 (0) 44 7446111

Telefax: +41 (0) 44 7446161

E-Mail: info@altrac.ch

Internet: www.altrac.ch

The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

Basic Characteristics Data

LFA

| Model | Circuit method | Switching frequency [kHz] | Input current *1 [A] | Inrush current protection | PCB/Pattern | | | Series/Parallel operation availability *2 | |
|---------|-------------------|---------------------------|----------------------|---------------------------|-------------|--------------|--------------|-------------------------------------------|--------------------|
| | | | | | Material | Single sided | Double sided | Series operation | Parallel operation |
| LFA10F | Flyback converter | 100 | 0.26 | LF | CEM-3 | Yes | | Yes | No |
| LFA15F | Flyback converter | 100 | 0.35 | Thermistor | CEM-3 | Yes | | Yes | No |
| LFA30F | Flyback converter | 130 | 0.65 | Thermistor | CEM-3 | Yes | | Yes | No |
| LFA50F | Active filter | 60-440 | 0.67 | Thermistor | CEM-3 | Yes | | Yes | No |
| | Flyback converter | 130 | | | | | | | |
| LFA75F | Active filter | 60-440 | 1.0 | Thermistor | CEM-3 | Yes | | Yes | No |
| | Flyback converter | 130 | | | | | | | |
| LFA100F | Active filter | 60 | 1.3 | Thermistor | CEM-3 | | Yes | Yes | No |
| | Forward converter | 140 | | | | | | | |
| LFA150F | Active filter | 60 | 2.0 | Thermistor | CEM-3 | | Yes | Yes | No |
| | Forward converter | 140 | | | | | | | |
| LFA240F | Active filter | 60 | 3.3 | SCR | CEM-3 | | Yes | Yes | No |
| | Forward converter | 140 | | | | | | | |
| LFA300F | Active filter | 60 | 4.1 | SCR | CEM-3 | | Yes | Yes | No |
| | Forward converter | 140 | | | | | | | |

*1 The value of input current is at ACIN 100V and rated load.

*2 Refer to Instruction Manual 2.

| | | |
|----------|------------------------------------------------|--------|
| 1 | Function | LFA-22 |
| 1.1 | Input voltage range | LFA-22 |
| 1.2 | Inrush current limiting | LFA-22 |
| 1.3 | Overcurrent protection | LFA-22 |
| 1.4 | Overvoltage protection | LFA-22 |
| 1.5 | Output voltage adjustment range | LFA-22 |
| 1.6 | Output ripple and ripple noise | LFA-23 |
| 1.7 | Isolation | LFA-23 |
| 1.8 | Reducing standby power | LFA-23 |
| 2 | Series Operation and Parallel Operation | LFA-23 |
| 2.1 | Series Operation | LFA-23 |
| 2.2 | Parallel Operation | LFA-24 |
| 3 | Assembling and Installation Method | LFA-24 |
| 3.1 | Installation method | LFA-24 |
| 3.2 | Derating | LFA-24 |
| 3.3 | Mounting screw | LFA-28 |
| 3.4 | Expectancy life and warranty | LFA-28 |
| 4 | Ground | LFA-30 |
| 5 | Option and Others | LFA-30 |
| 5.1 | Outline of options | LFA-30 |
| 5.2 | Others | LFA-32 |

1 Function

LFA

1.1 Input voltage range

- The range is from AC85V to AC264V or DC120V to DC370V (please see SPECIFICATIONS for details).
- In cases that conform with safety standard, input voltage range is AC100-AC240V (50/60Hz).
- If input value doesn't fall within above range, a unit may not operate in accordance with specifications and/or start hunting or fail. If you need to apply a square waveform input voltage, which is commonly used in UPS and inverters, please contact us.
- When the input voltage changes suddenly, the output voltage accuracy might exceed the specification. Please contact us.

● LFA10F, LFA15F, LFA30F

- A power factor improvement circuit (active filter) is not built-in. If you use multiple units for a single system, standards for input harmonic current may not be satisfied. Please contact us for details.

● LFA10F, LFA15F, LFA30F, LFA50F, LFA75F, LFA100F, LFA150F, LFA240F, LFA300F

- Operation stop voltage is set at a lower value than that of a standard version (derating is needed).
 - Use Conditions

| | Output () 3.3V | |
|---------|-----------------|--------|
| LFA10F | 5W | (3W) |
| LFA15F | 7.5W | (5W) |
| LFA30F | 10W | (7.5W) |
| LFA50F | 15W | (10W) |
| LFA75F | 25W | (15W) |
| LFA100F | 30W | (20W) |
| LFA150F | 50W | (30W) |
| LFA240F | 80W | |
| LFA300F | 100W | (75W) |

Input AC50V or DC70V
Duty 1s/30s

*Please avoid using continuously for more than 1 second under above conditions. Doing so may cause a failure.

1.2 Inrush current limiting

- An inrush current limiting circuit is built-in.
- If you need to use a switch on the input side, please select one that can withstand an input inrush current.

● LFA10F

- Resistance for line filter is used for inrush current limiting.

● LFA15F, LFA30F, LFA50F, LFA75F, LFA100F, LFA150F

- Thermistor is used in the inrush current limiting circuit. When you turn the power ON/OFF repeatedly within a short period of time, please have enough intervals so that a power supply cools down before being turned on.

● LFA240F, LFA300F

- Thyristor technique is used in the inrush current limiting circuit. When you turn power ON/OFF repeatedly within a short period of time, please have enough intervals so that the inrush current limiting circuit becomes operative.
- When the switch of the input is turned on, the primary inrush current and secondary inrush current will be generated because the thyristor technique is used for the inrush current limiting circuit.

1.3 Overcurrent protection

- An overcurrent protection circuit is built-in and activated at 105% of the rated current or 101% of the peak current. A unit automatically recovers when a fault condition is removed. Please do not use a unit in short circuit and/or under an overcurrent condition.
- Intermittent Operation Mode
Intermittent operation for overcurrent protection is included in a part of series. When the overcurrent protection circuit is activated and the output voltage drops to a certain extent, the output becomes intermittent so that the average current will also decrease.

1.4 Overvoltage protection

- An overvoltage protection circuit is built-in. If the overvoltage protection circuit is activated, shut down the input voltage, wait more than 3 minutes and turn on the AC input again to recover the output voltage. Recovery time varies depending on such factors as input voltage value at the time of the operation.
- In option -R2, overvoltage protection is removed by toggling ON/OFF signal of remote control.

Remarks :


Please avoid applying a voltage exceeding the rated voltage to an output terminal. Doing so may cause a power supply to malfunction or fail. If you cannot avoid doing so, for example, if you need to operate a motor, etc., please install an external diode on the output terminal to protect the unit.

1.5 Output voltage adjustment range

- Adjustment of output voltage is possible by using potentiometer. Please refer to instruction manual 5.1.
- Option "-Y" is recommended which can adjust the output voltage.

1.6 Output ripple and ripple noise

■ Output ripple noise may be influenced by measurement environment, measuring method fig.1.1 is recommended.




C1 : Film capacitor 0.1 μ F
 C2 : Aluminum electrolytic capacitor 22 μ F

Fig.1.1 Measuring method of Ripple and Ripple Noise

Remarks :

When GND cable of probe with flux of magnetic force from power supply are crossing, ripple and ripple noise might not measure correctly.

Please note the measuring environment.



Bad example

Good example

Fig.1.2. Example of measuring output ripple and ripple noise

1.7 Isolation

■ For a receiving inspection, such as Hi-Pot test, gradually increase (decrease) the voltage for the start (shut down). Avoid using Hi-Pot tester with the timer because it may generate voltage a few times higher than the applied voltage, at ON/OFF of a timer.

1.8 Reducing standby power

● LFA10F, LFA15F

■ A circuit reducing standby power is built in LFA10F and LFA15F. (standby power : 0.5W typ)

The load factor: $l_o=0-35\%$, the internal switch element is intermittent operated, and the switching loss is decreased.

The specification of the Ripple/Ripple Noise changes by this intermittent operation. The value of the ripple/ripple Noise when intermittent operates changes in the input voltage and the output current.

Please contact us for details.

● LFA100F, LFA150F, LFA240F, LFA300F

■ As for option -R2, reducing standby power is possible by OFF signal of the remote control.


Please refer to instruction manual 5.1.

2 Series Operation and Parallel Operation

2.1 Series Operation

● LFA10F, LFA15F, LFA30F, LFA50F, LFA75F

■ Series operation is available by connecting the outputs of two or more power supplies with the same output voltage, as shown below. Output current in series connection should be lower than the lowest rated current in each unit.



D1-D4 : Use a schottky barrier diode with low forward voltage.

D1,D2 : Use a schottky barrier diode with low forward voltage.

Fig.2.1 Examples of connecting in series operation (a)





Fig.2.2 Examples of connecting in series operation (b)

● LFA100F, LFA150F, LFA240F, LFA300F

■ You can use a power supply in series operation. The output current in series operation should be lower than the rated current of a power supply with the lowest rated current among power supplies that are serially connected. Please make sure that no current exceeding the rated current flows into a power supply.



* Only LFA300F -3R3 and -5. Use a schottky barrier diode with low forward voltage.

(a)

(b)

Fig.2.3 Examples of connecting in series operation

2.2 Parallel Operation

- Parallel operation is not possible.
- Redundancy operation is available by wiring as shown below.




Fig.2.4 Example of redundancy operation

- Even a slight difference in output voltage can affect the balance between the values of I_1 and I_2 . Please make sure that the value of I_3 does not exceed the rated current of a power supply.

$$I_3 \leq \text{the rated current value}$$

3 Assembling and Installation Method

3.1 Installation method

- This power supply is manufactured by SMD technology. The stress to P.C.B like twisting or bending causes the defect of the unit,so handle the unit with care.
- In case of metal chassis, keep the distance between d_1 & d_2 for to insulate between lead of component and metal chassis, use the spacer of 8mm or more between d_1 . If it is less than d_1 & d_2 , insert the insulation sheet between power supply and metal chassis.




Fig.3.1 Installation method

- There is a possibility that it is not possible to cool enough when the power supply is used by the sealing up space as showing in Figure 3.2. Please use it after confirming the temperature of point A and point B of Instruction Manual 3.2.




Fig.3.2 Installation example

3.2 Derating

- Environment to use it and Installation environment
When using it,it is necessary to radiate heat by the heat of the power supply.
Table 3.1 - 3.9 shows the relation between the upper limit temperature (Point A and Point B) and load factors.
Please consider the ventilation so that the convection which is enough for the whole power supply is provided.
And temperature of Point A and Point B please become lower than upper limit temperature.
The expectancy life in the upper bound temperature (Point A and Point B) is three years or more.
Please refer to External View for the position of Point A and Point B. In case of with Chassis and Cover, please contact our sales office for getting more information.

Remarks:

- Please be careful of electric shock or earth leakage in case of temperature measurement, because Point A and Point B is live potential.
- Please refer to 3.4 if you want to extend the longevity of the expectancy life.

Table 3.1 Temperatures of Point A, Point B LFA10F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|------------------|-----------------|-------------|
| | | | Point A[°C] | Point B[°C] |
| A | Convection | 20%< I_o ≤100% | 70 | 84 |
| | | I_o ≤20% | 75 | 79 |
| B | Convection | 20%< I_o ≤100% | 70 | 81 |
| | | I_o ≤20% | 73 | 77 |
| C | Convection | 20%< I_o ≤100% | 76 | 80 |
| | | I_o ≤20% | 76 | 77 |
| D | Convection | 20%< I_o ≤100% | 70 | 78 |
| | | I_o ≤20% | 75 | 77 |
| E | Convection | 20%< I_o ≤100% | 73 | 84 |
| | | I_o ≤20% | 76 | 79 |
| F | Convection | 20%< I_o ≤100% | 74 | 80 |
| | | I_o ≤20% | 76 | 78 |
| A,B,C,D,E,F | Forced air | 70%< I_o ≤100% | 75 | 75 |
| | | I_o ≤70% | 75 | 75 |

Table 3.2 Temperatures of Point A, Point B LFA15F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|-------------|-----------------|-------------|
| | | | Point A[°C] | Point B[°C] |
| A | Convection | 40%<lo≤100% | 72 | 80 |
| | | lo≤40% | 77 | 81 |
| B | Convection | 40%<lo≤100% | 68 | 73 |
| | | lo≤40% | 74 | 78 |
| C | Convection | 40%<lo≤100% | 75 | 84 |
| | | lo≤40% | 78 | 81 |
| D | Convection | 40%<lo≤100% | 71 | 77 |
| | | lo≤40% | 76 | 79 |
| E | Convection | 40%<lo≤100% | 70 | 79 |
| | | lo≤40% | 76 | 81 |
| F | Convection | 40%<lo≤100% | 71 | 78 |
| | | lo≤40% | 76 | 80 |
| A,B,C,D,E,F | Forced air | 70%<lo≤100% | 75 | 75 |
| | | lo≤70% | 75 | 75 |

Table 3.3 Temperatures of Point A, Point B LFA30F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|-------------|-----------------|-------------|
| | | | Point A[°C] | Point B[°C] |
| A | Convection | 70%<lo≤100% | 73 | 73 |
| | | lo≤70% | 79 | 77 |
| B | Convection | 60%<lo≤100% | 73 | 74 |
| | | lo≤60% | 80 | 82 |
| C | Convection | 70%<lo≤100% | 80 | 77 |
| | | lo≤70% | 83 | 80 |
| D | Convection | 70%<lo≤100% | 72 | 70 |
| | | 20%<lo≤70% | 80 | 77 |
| | | lo≤20% | 79 | 80 |
| E | Convection | 70%<lo≤100% | 73 | 79 |
| | | 20%<lo≤70% | 79 | 85 |
| | | lo≤20% | 77 | 81 |
| F | Convection | 70%<lo≤100% | 73 | 75 |
| | | lo≤70% | 79 | 79 |
| A,B,C,D,E,F | Forced air | 70%<lo≤100% | 75 | 75 |
| | | lo≤70% | 75 | 75 |

Table 3.4 Temperatures of Point A, Point B LFA50F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|-------------|-----------------|-------------|
| | | | Point A[°C] | Point B[°C] |
| A | Convection | 70%<lo≤100% | 86 | 68 |
| | | lo≤70% | 86 | 77 |
| B | Convection | 70%<lo≤100% | 72 | 65 |
| | | lo≤70% | 77 | 70 |
| C | Convection | 50%<lo≤100% | 78 | 71 |
| | | lo≤50% | 84 | 77 |
| D | Convection | 50%<lo≤100% | 83 | 68 |
| | | lo≤50% | 85 | 72 |
| E | Convection | 50%<lo≤100% | 76 | 75 |
| | | lo≤50% | 83 | 81 |
| F | Convection | 50%<lo≤100% | 80 | 78 |
| | | lo≤50% | 84 | 76 |
| A,B,C,D,E,F | Forced air | 70%<lo≤100% | 75 | 75 |
| | | lo≤70% | 75 | 75 |

Table 3.5 Temperatures of Point A, Point B LFA75F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|-------------|-----------------|-------------|
| | | | Point A[°C] | Point B[°C] |
| A | Convection | 70%<lo≤100% | 85 | 70 |
| | | lo≤70% | 86 | 76 |
| B | Convection | 70%<lo≤100% | 77 | 65 |
| | | lo≤70% | 81 | 71 |
| C | Convection | 70%<lo≤100% | 81 | 68 |
| | | lo≤70% | 83 | 72 |
| D | Convection | 70%<lo≤100% | 78 | 58 |
| | | 10%<lo≤70% | 80 | 63 |
| | | lo≤10% | 84 | 72 |
| E | Convection | 70%<lo≤100% | 73 | 66 |
| | | 10%<lo≤70% | 83 | 68 |
| | | lo≤10% | 83 | 79 |
| F | Convection | 70%<lo≤100% | 74 | 59 |
| | | lo≤70% | 83 | 71 |
| A,B,C,D,E,F | Forced air | 70%<lo≤100% | 75 | 75 |
| | | lo≤70% | 75 | 75 |

Table 3.6 Temperatures of Point A, Point B LFA100F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|-------------|-----------------|-------------|
| | | | Point A[°C] | Point B[°C] |
| A | Convection | 70%<lo≤100% | 85 | 74 |
| | | 50%<lo≤70% | 88 | 79 |
| | | lo≤50% | 88 | 83 |
| B | Convection | 70%<lo≤100% | 77 | 72 |
| | | 50%<lo≤70% | 87 | 82 |
| | | lo≤50% | 88 | 86 |
| C | Convection | 70%<lo≤100% | 87 | 82 |
| | | lo≤70% | 88 | 85 |
| D | Convection | 70%<lo≤100% | 80 | 70 |
| | | lo≤70% | 85 | 80 |
| E | Convection | 70%<lo≤100% | 74 | 85 |
| | | lo≤70% | 80 | 88 |
| F | Convection | 70%<lo≤100% | 79 | 71 |
| | | 50%<lo≤70% | 88 | 77 |
| | | lo≤50% | 88 | 79 |
| A,B,C,D,E,F | Forced air | 70%<lo≤100% | 75 | 75 |
| | | lo≤70% | 75 | 75 |

Table 3.7 Temperatures of Point A, Point B LFA150F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|-------------|-----------------|-------------|
| | | | Point A[°C] | Point B[°C] |
| A | Convection | 60%<lo≤100% | 79 | 75 |
| | | 20%<lo≤60% | 86 | 85 |
| | | lo≤20% | 87 | 87 |
| B | Convection | 70%<lo≤100% | 75 | 70 |
| | | 30%<lo≤70% | 85 | 78 |
| | | lo≤30% | 86 | 81 |
| C | Convection | 60%<lo≤100% | 81 | 75 |
| | | 30%<lo≤60% | 86 | 81 |
| | | lo≤30% | 87 | 83 |
| D, F | Convection | 70%<lo≤100% | 73 | 67 |
| | | 30%<lo≤70% | 83 | 76 |
| | | lo≤30% | 84 | 77 |
| E | Convection | 70%<lo≤100% | 73 | 75 |
| | | 30%<lo≤70% | 82 | 83 |
| | | lo≤30% | 83 | 84 |
| A,B,C,D,E,F | Forced air | 70%<lo≤100% | 75 | 75 |
| | | lo≤70% | 75 | 75 |

Table 3.8 Temperatures of Point A, Point B LFA240F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | |
|-----------------|----------------|-----------------|-----------------|--------------|
| | | | Point A [°C] | Point B [°C] |
| A | Convection | 75% < lo ≤ 100% | 75 | 70 |
| | | 50% < lo ≤ 75% | 82 | 79 |
| | | lo ≤ 50% | 86 | 85 |
| B | Convection | 75% < lo ≤ 100% | 63 | 61 |
| | | 50% < lo ≤ 75% | 73 | 73 |
| | | lo ≤ 50% | 81 | 83 |
| C | Convection | 75% < lo ≤ 100% | 76 | 73 |
| | | 50% < lo ≤ 75% | 81 | 79 |
| | | lo ≤ 50% | 87 | 85 |
| D | Convection | 75% < lo ≤ 100% | 66 | 55 |
| | | 50% < lo ≤ 75% | 74 | 65 |
| | | lo ≤ 50% | 84 | 78 |
| E | Convection | 75% < lo ≤ 100% | 62 | 62 |
| | | 50% < lo ≤ 75% | 73 | 74 |
| | | lo ≤ 50% | 81 | 84 |
| F | Convection | 75% < lo ≤ 100% | 68 | 62 |
| | | 50% < lo ≤ 75% | 77 | 73 |
| | | lo ≤ 50% | 84 | 83 |
| A,B,C,D,E,F | Forced air | 70% < lo ≤ 100% | 75 | 75 |
| | | lo ≤ 70% | 75 | 75 |

Table 3.9 Temperatures of Point A, Point B, Point C, Point D LFA300F-□

| Mounting Method | Cooling Method | Load factor | Max temperature | | | |
|--------------------------------------|----------------|-----------------|-----------------|--------------|--------------|--------------|
| | | | Point A [°C] | Point B [°C] | Point C [°C] | Point D [°C] |
| A | Convection | 80% < lo ≤ 100% | 70 | 86 | | |
| | | 60% < lo ≤ 80% | 75 | 88 | | |
| | | lo ≤ 60% | 79 | 89 | | |
| B | Convection | 80% < lo ≤ 100% | 57 | 68 | | |
| | | 60% < lo ≤ 80% | 62 | 71 | | |
| | | lo ≤ 60% | 71 | 79 | | |
| C | Convection | 80% < lo ≤ 100% | 69 | 75 | | |
| | | 60% < lo ≤ 80% | 74 | 75 | | |
| | | lo ≤ 60% | 83 | 82 | | |
| D | Convection | 80% < lo ≤ 100% | 58 | 62 | | |
| | | 60% < lo ≤ 80% | 64 | 66 | | |
| | | lo ≤ 60% | 75 | 75 | | |
| E | Convection | 80% < lo ≤ 100% | 57 | 80 | | |
| | | 60% < lo ≤ 80% | 63 | 83 | | |
| | | lo ≤ 60% | 74 | 88 | | |
| F | Convection | 80% < lo ≤ 100% | 61 | 68 | | |
| | | 60% < lo ≤ 80% | 68 | 71 | | |
| | | lo ≤ 60% | 76 | 80 | | |
| A,B,C,D,E and F (3.3V/5V/12V/15V) | Forced air | 50% < lo ≤ 100% | 75 | 75 | 85 | 85 |
| | | lo ≤ 50% | 75 | 75 | 85 | 85 |
| A,B,C,D,E and F (24V/30V/36V/48V) | Forced air | 50% < lo ≤ 100% | 75 | 75 | 85 | 85 |
| | | lo ≤ 50% | 75 | 75 | 85 | 85 |

■ The operative ambient temperature is different by with / without chassis cover or mounting position. Derating curve is shown below.
 Note: In the hatched area, the specification of Ripple, Ripple Noise is different from other area.

● LFA10F




Fig.3.3 Ambient temperature derating curve (refer to Table 3.1)

● LFA15F




Fig.3.4 Ambient temperature derating curve (refer to Table 3.2)

● LFA30F




Fig.3.5 Ambient temperature derating curve (refer to Table 3.3)

● LFA50F




Fig.3.6 Ambient temperature derating curve (refer to Table 3.4)

● LFA75F




Fig.3.7 Ambient temperature derating curve (refer to Table 3.5)

● LFA100F




Fig.3.8 Ambient temperature derating curve (refer to Table 3.6)

● LFA100F-□-SN




Fig.3.9 Ambient temperature derating curve

● LFA150F




Fig.3.10 Ambient temperature derating curve (refer to Table 3.7)

● LFA150F-□-SN




Fig.3.11 Ambient temperature derating curve

● LFA240F




Fig.3.12 Ambient temperature derating curve (refer to Table 3.8)

● LFA240F-□-SN





Fig.3.13 Ambient temperature derating curve

● LFA300F



| Output voltage | Output power[W] | |
|----------------|-----------------|-------------|
| | ①Convection | ②Forced air |
| 3.3V | 132.0 | 198.0 |
| 5V | 200.0 | 300.0 |
| 12V | 204.0 | 324.0 |
| 15V | 210.0 | 330.0 |
| 24V | 300.0 | 336.0 |
| 30V | 300.0 | 330.0 |
| 36V | 302.4 | 338.4 |
| 48V | 302.4 | 336.0 |

Fig.3.14 Ambient temperature derating curve (refer to Table 3.9)

■ Derating curve depending on input voltage
 Derating curve depending on input voltage is shown in Fig.3.8.




Fig.3.17 Derating curve depending on input voltage

■ Mounting method




Fig.3.18 Mounting method

■ (F) mounting is not possible when unit is with case cover, but if need to operate unit by (F) positioning with case cover, temperature / load derating is necessary. For more details, please contact our sales or engineering departments.

3.3 Mounting screw

■ The mounting screw should be M3. The hatched area shows the allowance of metal parts for mounting.

■ If metallic fittings are used on the component side of the board, ensure there is no contact with surface mounted components.

■ This product uses SMD technology.

Please avoid the PCB installation method which includes the twisting stress or the bending stress.

* Recommendation to electrically connect FG to metal chassis for reducing noise.

● LFA10F, LFA15F




Fig.3.19 Allowance of metal parts for mounting (LFA10F, LFA15F)

● LFA30F, LFA50F, LFA75F, LFA100F, LFA150F




Fig.3.20 Allowance of metal parts for mounting (LFA30F, LFA50F, LFA75F, LFA100F, LFA150F)

● LFA240F, LFA300F




Fig.3.21 Allowance of metal parts for mounting (LFA240F, LFA300F)

3.4 Expectancy life and warranty

■ Expectancy Life.

Table 3.10 Expectancy Life (LFA10F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-------------------------|
| | | | $l_o \leq 75\%$ | $75\% < l_o \leq 100\%$ |
| A, D, E, F | Convection | Ta = 40°C or less | 6years | 6years |
| | | Ta = 50°C | 5years | 3years |
| B, C | Convection | Ta = 45°C or less | 6years | 6years |
| | | Ta = 55°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.11 Expectancy Life (LFA15F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-------------------------|
| | | | $l_o \leq 75\%$ | $75\% < l_o \leq 100\%$ |
| A, B, C, D | Convection | Ta = 40°C or less | 6years | 6years |
| | | Ta = 50°C | 5years | 3years |
| E, F | Convection | Ta = 35°C or less | 6years | 6years |
| | | Ta = 45°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.12 Expectancy Life (LFA30F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A, B, C | Convection | Ta = 40°C or less | 6years | 6years |
| | | Ta = 50°C | 5years | 3years |
| D, E, F | Convection | Ta = 35°C or less | 6years | 6years |
| | | Ta = 45°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.13 Expectancy Life (LFA50F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 40°C or less | 6years | 6years |
| | | Ta = 50°C | 5years | 3years |
| B, D | Convection | Ta = 35°C or less | 6years | 6years |
| | | Ta = 45°C | 5years | 3years |
| C, E | Convection | Ta = 30°C or less | 6years | 6years |
| | | Ta = 40°C | 5years | 3years |
| F | Convection | Ta = 25°C or less | 6years | 6years |
| | | Ta = 35°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.14 Expectancy Life (LFA75F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A, B | Convection | Ta = 40°C or less | 6years | 6years |
| | | Ta = 50°C | 5years | 3years |
| C | Convection | Ta = 35°C or less | 6years | 6years |
| | | Ta = 45°C | 5years | 3years |
| D | Convection | Ta = 30°C or less | 6years | 6years |
| | | Ta = 40°C | 5years | 3years |
| E, F | Convection | Ta = 20°C or less | 6years | 6years |
| | | Ta = 30°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.15 Expectancy Life (LFA100F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 40°C or less | 6years | 6years |
| | | Ta = 50°C | 5years | 3years |
| B, C | Convection | Ta = 35°C or less | 6years | 6years |
| | | Ta = 45°C | 5years | 3years |
| D, E, F | Convection | Ta = 35°C or less | 6years | 6years |
| | | Ta = 45°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.16 Expectancy Life (LFA150F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 30°C or less | 6years | 6years |
| | | Ta = 40°C | 6years | 5years |
| B | Convection | Ta = 25°C or less | 6years | 6years |
| | | Ta = 35°C | 6years | 6years |
| C | Convection | Ta = 25°C or less | 6years | 6years |
| | | Ta = 35°C | 6years | 5years |
| D, F | Convection | Ta = 25°C or less | 6years | 6years |
| | | Ta = 35°C | 6years | 5years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 5years |

Table 3.17 Expectancy Life (LFA240F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 30°C or less | 6years | 6years |
| | | Ta = 40°C | 5years | 3years |
| B, C | Convection | Ta = 20°C or less | 6years | 6years |
| | | Ta = 30°C | 5years | 3years |
| D, F | Convection | Ta = 20°C or less | 6years | 5years |
| | | Ta = 15°C or less | 6years | 5years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.18 Expectancy Life (LFA300F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Expectancy Life | |
|-----------------|----------------|------------------------------------|-----------------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 30°C or less | 6years | 6years |
| | | Ta = 40°C | 5years | 3years |
| B, C | Convection | Ta = 20°C or less | 6years | 6years |
| | | Ta = 30°C | 5years | 3years |
| D | Convection | Ta = 25°C or less | 6years | 5years |
| | | Ta = 20°C or less | 6years | 5years |
| A,B,C,D,E,F | Forced air | Ta = 50°C | 5years | 3years |

■ Warranty

Table 3.19 Warranty (LFA10F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A, D, E, F | Convection | Ta = 40°C or less | 5years | 5years |
| | | Ta = 50°C | 5years | 3years |
| B, C | Convection | Ta = 45°C or less | 5years | 5years |
| | | Ta = 55°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.20 Warranty (LFA15F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A, B, C, D | Convection | Ta = 40°C or less | 5years | 5years |
| | | Ta = 50°C | 5years | 3years |
| E, F | Convection | Ta = 35°C or less | 5years | 5years |
| | | Ta = 45°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.21 Warranty (LFA30F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A, B, C | Convection | Ta = 40°C or less | 5years | 5years |
| | | Ta = 50°C | 5years | 3years |
| D, E, F | Convection | Ta = 35°C or less | 5years | 5years |
| | | Ta = 45°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.22 Warranty (LFA50F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 40°C or less | 5years | 5years |
| | | Ta = 50°C | 5years | 3years |
| B, D | Convection | Ta = 35°C or less | 5years | 5years |
| | | Ta = 45°C | 5years | 3years |
| C, E | Convection | Ta = 30°C or less | 5years | 5years |
| | | Ta = 40°C | 5years | 3years |
| F | Convection | Ta = 25°C or less | 5years | 5years |
| | | Ta = 35°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.23 Warranty (LFA75F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A, B | Convection | Ta = 40°C or less | 5years | 5years |
| | | Ta = 50°C | 5years | 3years |
| C | Convection | Ta = 35°C or less | 5years | 5years |
| | | Ta = 45°C | 5years | 3years |
| D | Convection | Ta = 30°C or less | 5years | 5years |
| | | Ta = 40°C | 5years | 3years |
| E, F | Convection | Ta = 20°C or less | 5years | 5years |
| | | Ta = 30°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.24 Warranty (LFA100F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 40°C or less | 5years | 5years |
| | | Ta = 50°C | 5years | 3years |
| B, C | Convection | Ta = 35°C or less | 5years | 5years |
| | | Ta = 45°C | 5years | 3years |
| D, E, F | Convection | Ta = 25°C or less | 5years | 5years |
| | | Ta = 35°C | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.25 Warranty (LFA150F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 30°C or less | 5years | 5years |
| | | Ta = 40°C | 5years | 5years |
| B | Convection | Ta = 25°C or less | 5years | 5years |
| | | Ta = 35°C | 5years | 5years |
| C | Convection | Ta = 25°C or less | 5years | 5years |
| | | Ta = 35°C | 5years | 3years |
| D, F | Convection | Ta = 25°C or less | 5years | 5years |
| E | Convection | Ta = 25°C or less | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.26 Warranty (LFA240F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 30°C or less | 5years | 5years |
| | | Ta = 40°C | 5years | 3years |
| B, C | Convection | Ta = 20°C or less | 5years | 5years |
| | | Ta = 30°C | 5years | 3years |
| D, F | Convection | Ta = 20°C or less | 5years | 3years |
| E | Convection | Ta = 15°C or less | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 60°C | 5years | 3years |

Table 3.27 Warranty (LFA300F-□)

| Mounting Method | Cooling Method | Average ambient temperature (year) | Warranty | |
|-----------------|----------------|------------------------------------|----------|-----------------|
| | | | lo ≤ 75% | 75% < lo ≤ 100% |
| A | Convection | Ta = 30°C or less | 5years | 5years |
| | | Ta = 40°C | 5years | 3years |
| B, C | Convection | Ta = 20°C or less | 5years | 5years |
| | | Ta = 30°C | 5years | 3years |
| D | Convection | Ta = 25°C or less | 5years | 3years |
| E, F | Convection | Ta = 20°C or less | 5years | 3years |
| A,B,C,D,E,F | Forced air | Ta = 50°C | 5years | 3years |

4 Ground

- When installing the power supply with your unit, ensure that the input FG terminal of CN1 or mounting hole FG is connected to safety ground of the unit.

5 Option and Others

5.1 Outline of options

- * Please inquire us for details of specifications and delivery timing.
- * You can combine multiple options. Some options, however, cannot be combined with other options. Please contact us for details.

● -C

- Option -C units have coated internal PCB for better moisture resistance.

● -G

- Option -G units are low leakage current type.
- Differences from standard versions are summarized in Table 5.1.

Table 5.1 Low leakage current type

| | |
|-------------------------------|--------------------------------------------------|
| Leakage Current (AC240V 60Hz) | 0.15mA max |
| Conducted Noise | N/A |
| Output Ripple Noise | Please contact us for details about Ripple Noise |

* This is the value that measured on measuring board with capacitor of 22μF at 150mm from output connector.
Measured by 20MHz oscilloscope or Ripple-Noise meter (Equivalent to KEISOKU-GIKEN:RM-103).

● -H (LFA100F-24, LFA150F-24, LFA240F-24, LFA300F-24/30/36/48-TY)

- Option -H units can output the peak current.
- Peak load is possible to draw as below.




Fig.5.1 Peak current

Input voltage is AC90V to AC264V.

$t1 \leq 10$ [sec]

$I_p \leq$ rated peak current

$I_{ave} \leq$ rated output current

$$\text{Duty} = \frac{t1}{t1+t2} \times 100[\%] \leq 35\%$$

In case of LFA300F duty is depended on peak wattage.

Please contact us about the detail.

Remarks:

*There is possibility that an internal device is damaged when the specification is exceeded.

● -J (LFA300F)

- Option -J units, the input and output connector are changed to EP connectors (Mfr. Tyco Electronics).
- The appearance in option -J units is different from the standard units. Please contact us about the detail.

● -J1

- Option -J1 units, the Input and Output connector is VH connectors (Mfr. J.S.T.).
- LFA300F appearance of option -J units is different from the standard appearance. Please contact us about the detail.

● -S · -SN

- S indicates a type with chassis, and -SN indicates a type with chassis and cover (Refer to external view). Refer to "Derating Curves" in Section 3.2.
- Please contact us about the detail of LFA300F.

● -SNF (LFA300F-5/12/24-TY)

- In option -SNF, the cover, chassis and cooling fan are added.
- The appearance of option -J units is different from the of standard appearance. Please contact us about the detail.
- Oil and other chemical liquid splashing environment may cause the performance degradation and failure.

● -Y

- Option -Y units can adjust the output voltage by the potentiometer is attached.
- Refer to the adjustable range to the table 5.2 and table 5.3.

■ LFA10F, LFA15F, LFA30F, LFA50F, LFA75F

Table 5.2 Output voltage adjustment range

| Output voltage | Output voltage adjustment range[V] |
|----------------|------------------------------------|
| 3.3V* | 2.85 to 3.63 |
| 5V | 4.5 to 5.5 |
| 12V | 10.8 to 13.2 |
| 15V | 13.5 to 16.5 |
| 24V | 21.6 to 26.4 |
| 36V | 32.4 to 39.6 |
| 48V | 43.2 to 52.8 |

*Some of the product, -Y is standard equipment.

(LFA10F-3R3-Y, LFA15F-3R3-Y, LFA30F-3R3-Y, LFA50F-3R3-Y, LFA75F-3R3-Y)

■ LFA100F, LFA150F, LFA240F, LFA300F

Table 5.3 Output voltage adjustment range

| Output voltage | Output voltage adjustment range[V] |
|----------------|------------------------------------|
| 3.3V* | 2.85 to 3.63 |
| 5V* | 4.5 to 5.5 |
| 12V | 10.8 to 13.2 |
| 15V | 13.5 to 16.5 |
| 24V | 21.6 to 27.5 |
| 30V (LFA300F) | 27.0 to 33.0 |
| 36V | 32.4 to 39.6 |
| 48V | 39.6 to 52.8 |

*Some of the product, -Y is standard equipment.

(LFA100F-3R3-Y, LFA100F-5-Y, LFA150F-3R3-Y, LFA150F-5-Y, LFA300F-□-TY)

- To increase an output voltage, turn a built-in potentiometer clockwise.
- To decrease the output voltage, turn it counterclockwise.
- Please take care when you adjust output voltage by potentiometer, because there is possibility of electric shock and the breakdown as contacting to other internal circuit by electrically conductive tool.

● -R (LFA100F, LFA150F, LFA240F, LFA300F)

- You can control output ON/OFF remotely in Option -R units. To do so, connect an external DC power supply and apply a voltage to a remote ON/OFF connector, which is available as option.

| Model Name | Built-in Resistor Ri [Ω] | Voltage between RC (+) and RC (-) [V] | | Input Current [mA] |
|------------------------------------|--------------------------|---------------------------------------|------------|--------------------|
| | | Output ON | Output OFF | |
| LFA100F, LFA150F, LFA240F, LFA300F | 780 | 4.5 - 12.5 | 0 - 0.5 | 20max |




Fig.5.2 Example of using a remote ON/OFF circuit

- Dedicated harnesses are available for your purchase. Please see Optional Parts for details.

*1 If the output of an external power supply is within the range of 4.5 - 12.5V, you do not need a current limiting resistor R. If the output exceeds 12.5V, however, please connect the current limiting resistor R.

To calculate a current limiting resistance value, please use the following equation.

$$R[\Omega] = \frac{V_{cc} - (1.1 + R_i \times 0.005)}{0.005}$$

*Please wire carefully. If you wire wrongly, the internal components of a unit may be damaged.

■ Remote ON/OFF circuits (RC+ and RC-) are isolated from input, output and FG.

● -R2 (LFA100F, LFA150F, LFA240F, LFA300F)

- The usage is the same as option -R, please refer to Option -R.
- Reducing standby power is possible by OFF signal of the remote control.
- Start up time by ON signal in remote control is 350ms(typ).
- The latch condition in overvoltage protection is removed by toggling ON/OFF signal of remote control.
- Standby power
LFA100F, LFA150F, LFA240F
0.2Wtyp (AC100V), 0.7Wtyp (AC200V)
LFA300F
0.25Wtyp (AC100V), 1.1Wtyp (AC200V)

● -T (LFA240F, LFA300F)

- Option -T units have vertically positioned screws on a terminal block.
- Please contact us for details about appearance.




Fig.5.3 Example of option -T

■ The screw can be held to terminal block by inserting and lifting the screwdriver from the side of terminal block.




Fig.5.4 lifting method

● -T1 (LFA300F)

- Option -T units have horizontally positioned screws on a terminal block.
- Please contact us for details about appearance.




Fig.5.5 Example of option -T1

5.2 Others

■ This power supply is the rugged PCB type. Do not drop conductive objects in the power supply.

■ At light load, there remains high voltage inside the power supply for a few minutes after power OFF.

So, at maintenance, take care about electric shock.

■ This power supply is manufactured by SMD technology. The stress to PCB like twisting or bending causes the defect of the unit, so handle the unit with care.

- Tighten all the screws in the screw hole.
- Install it so that PCB may become parallel to the clamp face.
- Avoid the impact such as drops.

- While turning on the electricity, and for a while after turning off, please don't touch the inside of a power supply because there are some hot parts in that.
- When a mass capacitor is connected with the output terminal (load side), the output might become the stop or an unstable operation. Please contact us for details when you connect the capacitor.

● LFA10F, LFA15F

- When these power supplies are connected to the input terminal in parallel, the total capacitance between line and line becomes big. Therefore, the electrical discharge resistance on the safety standard might become necessary. Please contact us for details when safety standard is necessary at multiple units usage.

FORTEC

ELEKTRONIK AG

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, Great Britain and the USA. For more information please contact:

FORTEC Elektronik AG

Hauptniederlassung
Lechwiesenstr. 9
86899 Landsberg am Lech

Telefon: +49 (0) 8191 91172-0
Telefax: +49 (0) 8191 21770
E-Mail: sales@fortecag.de
Internet: www.fortecag.de

FORTEC Elektronik AG

Büro Nord
Am Hasenkamp 36
22457 Hamburg

Telefon: +49 (0) 40 54 80 56 11
Telefax: +49 (0) 40 54 80 56 13
E-Mail: nord@fortecag.de
Internet: www.fortecag.de

FORTEC Elektronik AG

Büro West
Hohenstaufenring 55
50674 Köln

Telefon: +49 (0) 221 272 273-0
Telefax: +49 (0) 221 272 273-10
E-Mail: west@fortecag.de
Internet: www.fortecag.de

FORTEC Elektronik AG

Büro Wien
Nuschinggasse 12
A-1230 Wien

Telefon: +43 1 8673492-0
Telefax: +43 1 8673492-26
E-Mail: office@fortec.at
Internet: www.fortec.at

ALTRAC AG

(Tochter der Fortec AG):
Bahnhofstraße 3
CH-5436 Würenlos

Telefon: +41 (0) 44 7446111
Telefax: +41 (0) 44 7446161
E-Mail: info@altrac.ch
Internet: www.altrac.ch

Members of the FORTEC Group:

